

## Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 27,163 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 April and 30 June 2004 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 4,737 reports received by the Virology and Serology Laboratory Reporting Scheme (LabVISE) in the reporting period, 1 April and 30 June 2004 (Tables 4 and 5).

Please note: The wrong data was published for tables 2 and 3 in *Commun Dis Intell* 2004;28:412–416. The data has been corrected in this version.

**Table 1. Reporting of notifiable diseases by jurisdiction**

Disease	Data received from:	Disease	Data received from:
<b>Bloodborne diseases</b>			
Hepatitis B (incident)	All jurisdictions	Congenital Rubella	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions except NT	Diphtheria	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Influenza <sup>†</sup>	All jurisdictions
Hepatitis D	All jurisdictions	Measles	All jurisdictions
Hepatitis (NEC)	All jurisdictions except WA	Mumps	All jurisdictions
<b>Gastrointestinal diseases</b>			
Botulism	All jurisdictions	Pertussis	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Pneumococcal disease (invasive)	All jurisdictions
Cryptosporidiosis	All jurisdictions	Poliomyelitis	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Rubella	All jurisdictions
Hepatitis A	All jurisdictions	Tetanus	All jurisdictions
Hepatitis E	All jurisdictions		
Listeriosis	All jurisdictions	<b>Vaccine preventable diseases</b>	
Salmonellosis	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Shigellosis	All jurisdictions	Flavivirus infection (NEC) <sup>‡</sup>	All jurisdictions
SLTEC, VTEC	All jurisdictions	Dengue	All jurisdictions
Typhoid	All jurisdictions	Japanese encephalitis	All jurisdictions
<b>Quarantineable diseases</b>			
Cholera	All jurisdictions	Kunjin virus <sup>§</sup>	All jurisdictions except ACT
Plague	All jurisdictions	Malaria	All jurisdictions
Rabies	All jurisdictions	Murray Valley encephalitis <sup>§</sup>	All jurisdictions except ACT
SARS	All jurisdictions except ACT	Ross River virus infection	All jurisdictions
Smallpox	All jurisdictions except ACT, NSW, Qld, SA	<b>Vectorborne diseases</b>	
Tularemia	All jurisdictions except ACT, NSW, NT, Qld, SA	Barmah Forest virus infection	All jurisdictions
Viral haemorrhagic fever (NEC)	All jurisdictions	Flavivirus infection (NEC) <sup>‡</sup>	All jurisdictions
Yellow fever	All jurisdictions	Dengue	All jurisdictions
<b>Sexually transmissible infections</b>			
Chlamydial (NEC)	All jurisdictions	Japanese encephalitis	All jurisdictions
Donovanosis	All jurisdictions	Kunjin virus <sup>§</sup>	All jurisdictions except ACT
Gonococcal infection	All jurisdictions	Malaria	All jurisdictions
Syphilis (unspecified)*	All jurisdictions	Murray Valley encephalitis <sup>§</sup>	All jurisdictions except ACT
Syphilis < 2 years duration	All jurisdictions except NSW, Qld, SA, Tas, Vic	Ross River virus infection	All jurisdictions
Syphilis > 2 years duration	All jurisdictions except ACT, NT	<b>Zoonoses</b>	
Syphilis - congenital	All jurisdictions except ACT, NT	Anthrax	All jurisdictions
<b>Other bacterial infections</b>			
Creutzfeldt-Jakob disease		Australian bat lyssavirus	All jurisdictions
Legionellosis		Brucellosis	All jurisdictions
Leprosy		Leptospirosis	All jurisdictions
Meningococcal infection		Lyssaviruses (NEC)	All jurisdictions
Tuberculosis		Ornithosis	All jurisdictions
		Q fever	All jurisdictions

\* Syphilis data from South Australia, Tasmania and Western Australia cannot yet be classified into less than 2 years and more than 2 years duration, NSW classifies syphilis into < 1 year and > 1 years or unknown duration.

† Laboratory confirmed influenza is not notifiable in the ACT or South Australia but reports are forwarded to NNDSS.

‡ Flavivirus (NEC) replaces Arbovirus (NEC) from 1 January 2004. Western Australian data cannot yet be classified.

§ In the Australian Capital Territory, Murray Valley encephalitis virus and Kunjin are combined under Murray Valley encephalitis.

**Table 2.** Notifications of diseases received by State and Territory health authorities for the period 1 April to 30 June 2004, by date of onset\*

Disease	State or territory						Total 2nd quarter 2004 <sup>1</sup>	Total 1st quarter 2004	Total 2nd quarter 2003	Last 5 years mean	Year to date 2004	Last 5 years YTD mean	Ratio <sup>†</sup>	
	ACT	NSW	NT	Qld	SA	Tas								
<b>Bloodborne diseases</b>														
Hepatitis B (incident)	2	17	2	13	2	10	9	5	60	70	90	99.2	130	190.6
Hepatitis B (unspecified)	12	1,324	NN	216	66	30	386	87	2,121	1,479	1,470	1,817.2	3,600	3,458.2
Hepatitis C (incident)	3	4	NN	NN	8	2	13	18	48	79	110	114.0	127	247.0
Hepatitis C (unspecified)	58	1,218	72	709	182	170	714	275	3,398	3,572	3,292	4,237.4	6970	8,699.0
Hepatitis D	0	2	0	5	0	0	1	0	8	4	5	5.4	12	10.8
<b>Gastrointestinal diseases</b>														
Botulism	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0
Campylobacteriosis <sup>2</sup>	77	NN	43	767	401	208	1,211	389	3,096	4,437	3,515	3,295.8	7,533	6,870.8
Cryptosporidiosis <sup>‡</sup>	0	60	27	215	17	6	82	31	438	515	310	452.0	953	1,493.7
Haemolytic uraemic syndrome	0	2	0	0	0	0	0	1	0	3	3	2	2.0	6
Hepatitis A	0	32	3	7	1	0	15	16	74	106	108	174.4	180	399.4
Hepatitis E	0	1	0	1	0	2	5	0	9	11	1	4.0	20	6.2
Listeriosis	0	11	0	3	1	0	3	1	19	17	19	15.8	36	35.2
Salmonellosis (NEC)	44	524	102	666	145	48	321	137	1,987	2,772	1,602	1,676.0	4,759	4,281.0
Shigellosis	1	20	36	23	15	2	15	31	143	154	103	130.6	297	285.0
SLTEC, VTEC <sup>3</sup>	0	0	0	2	5	0	1	0	8	12	12	9.2	20	26.6
Typhoid	0	8	0	1	1	0	2	3	15	27	6	11.0	42	35.0
<b>Quarantineable diseases</b>														
Cholera	0	0	0	1	0	0	1	0	2	1	1	0.6	3	1.4
Plague	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0
Rabies	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0
Smallpox	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0
Tularemia	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0
Yellow fever	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0

**Table 2. Notifications of diseases received by State and Territory health authorities for the period 1 April to 30 June 2004, by date of onset\* continued**

Disease	State or territory						Total 2nd quarter 2004 <sup>1</sup>	Total 1st quarter 2004	Total 2nd quarter 2003	Last 5 years mean	Year to date 2004	Last 5 years YTD mean	Ratio <sup>†</sup>		
	ACT	NSW	NT	Qld	SA	Tas									
<b>Sexually transmissible diseases</b>															
Chlamydia	157	2,329	443	2,136	666	258	1,866	1,049	8,904	9,215	7,432	5,236.8	18119	10,387.2	
Donovanosis	0	0	0	1	0	0	0	0	1	2	3	4.6	3	10.4	
Gonococcal infection <sup>4</sup>	6	319	443	318	123	16	257	400	1,882	1,751	1,684	1,599.0	3633	3,190.0	
Syphilis (unspecified)	5	0	57	0	0	0	0	0	62	82	134	213.8	144	423.2	
Syphilis < two years duration	0	47	1	24	8	0	23	8	111	142	104	96.5	253	202.5	
Syphilis > two years or unknown duration	0	220	17	33	1	0	87	27	385	409	249	259.5	794	514.0	
Syphilis - congenital	0	0	2	0	0	0	1	0	3	2	3	2.8	5	4.4	
<b>Vaccine preventable disease</b>															
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.2	
<i>Haemophilus influenzae</i> type b	0	1	1	1	0	0	0	0	0	3	7	8	10.2	10	15.8
Influenza (laboratory confirmed) <sup>‡</sup>	1	106	4	26	13	2	8	1	161	107	130	306.3	268	395.7	0.5
Measles	0	1	0	0	1	0	4	1	7	11	27	26.8	18	71.6	0.3
Mumps	0	12	0	5	1	0	0	0	18	24	12	39.8	42	69.0	0.5
Pertussis	13	573	1	140	59	8	112	147	1,053	1,107	832	1,100.6	2160	2,273.0	1.0
Pneumococcal disease (invasive) <sup>‡</sup>	17	226	18	107	51	23	106	42	590	328	544	510.7	918	768.3	1.2
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rubella	0	6	0	4	0	0	0	0	10	6	11	51.4	16	105.8	0.2
Rubella - congenital	0	0	0	0	0	0	0	0	0	1	0	0.0	1	0.2	0.0
Tetanus	0	0	0	1	0	0	0	0	1	2	0	0.4	3	2.4	2.5
<b>Vectorborne diseases</b>															
Barmah Forest virus infection	0	135	8	157	3	0	3	10	316	319	760	397.8	635	662.6	0.8
Dengue	2	6	5	47	0	0	3	1	64	236	264	88.6	300	227.6	0.7
Flavivirus infection NEC	0	4	0	24	0	0	1	0	29	74	15	11.4	103	32.0	2.5
Japanese encephalitis <sup>‡</sup>	0	0	0	0	0	0	0	0	0	1	0	0.0	1	0.0	0.0
Kunjin virus <sup>‡</sup>	0	0	0	0	0	0	0	0	0	6	5	2.3	6	7.3	0.0
Malaria	4	19	8	75	8	8	19	8	149	127	155	169.4	276	380.8	0.9
Murray Valley encephalitis <sup>‡</sup>	0	0	1	0	0	0	0	1	0	0	0	0.0	1	1.5	0.0
Ross River virus infection	3	324	17	866	7	10	21	138	1,386	2,444	2,350	1,386.2	3830	2,812.2	1.0

**Table 2.** Notifications of diseases received by State and Territory health authorities for the period 1 April to 30 June 2004, by date of onset\* *continued*

Disease	State or territory						Total 2nd quarter 2004 <sup>1</sup>	Total 1st quarter 2004	Total 2nd years mean	Year to date 2004	Last 5 years YTD mean	Ratio <sup>†</sup>
	ACT	NSW	NT	Qld	SA	Tas						
<b>Zoonoses</b>												
Anthrax <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0.0
Australian bat lyssavirus <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0.0
Brucellosis	0	0	0	3	0	0	1	0	4	6	7	12.0
Leptospirosis	0	5	1	46	0	0	0	0	52	65	28	143.6
Lyssavirus unspecified <sup>‡</sup>	0	0	0	0	0	0	0	0	0	0	0	0.0
Ornithosis	0	15	0	0	1	0	37	0	53	70	44	37.0
Q fever	0	52	1	34	6	0	11	2	106	110	121	150.2
<b>Other bacterial infections</b>												
Creutzfeldt-Jakob disease	0	0	0	0	0	0	0	0	0	0	0	0.0
Legionellosis	1	26	3	3	10	0	34	11	88	86	87	191.4
Leprosy	0	0	0	0	0	0	0	0	0	2	2	2.4
Meningococcal infection	1	46	4	22	5	6	27	9	120	96	104	136.6
Tuberculosis	0	52	3	19	18	3	64	16	175	227	192	225.8
<b>Total</b>	<b>407</b>	<b>7,747</b>	<b>1,323</b>	<b>6,721</b>	<b>1,825</b>	<b>812</b>	<b>5,464</b>	<b>2,864</b>	<b>27,163</b>	<b>30,324</b>	<b>25,953</b>	<b>24,296.5</b>
												<b>57,487</b>
												<b>50,053.4</b>
												<b>1.1</b>

1. Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

2. Not reported from New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

3. Infections with shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

\* Date of onset = the true date of onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen collection date or (ii) the date of notification to a public health unit. Hepatitis B and C unspecified were analysed by date of notification.

† Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter.

‡ Notifiable from January 2001. Ratio and mean calculations are based on the last three years.

NN Not notifiable.

NEC Not elsewhere classified.

**Table 3. Notification rates of diseases by state or territory, 1 April to 30 June 2004.  
(Rate per 100,000 population)**

Disease <sup>1</sup>	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Bloodborne diseases</b>									
Hepatitis B (incident)	2.5	1.0	4.0	1.4	0.5	8.4	0.7	1.0	1.2
Hepatitis B (unspecified)	14.9	79.2	NN	22.8	17.3	25.2	31.5	17.8	43.1
Hepatitis C (incident)	3.7	0.2	NN	NN	2.1	1.7	1.1	3.7	1.2
Hepatitis C (unspecified)	71.9	72.9	145.2	74.7	47.7	142.5	58.2	56.3	68.4
Hepatitis D	0.0	0.1	0.0	0.5	0.0	0.0	0.1	0.0	0.2
<b>Gastrointestinal diseases</b>									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis <sup>2</sup>	95.4	NN	86.7	80.8	105.0	174.4	98.7	79.7	94.0
Cryptosporidiosis	0.0	3.6	54.4	22.7	4.5	5.0	6.7	6.4	8.8
Haemolytic uraemic syndrome	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1
Hepatitis A	0.0	1.9	6.0	0.7	0.3	0.0	1.2	3.3	1.5
Hepatitis E	0.0	0.1	0.0	0.1	0.0	1.7	0.4	0.0	0.2
Listeriosis	0.0	0.7	0.0	0.3	0.3	0.0	0.2	0.2	0.4
Salmonellosis (NEC)	54.5	31.3	205.7	70.2	38.0	40.2	26.2	28.1	40.0
Shigellosis	1.2	1.2	72.6	2.4	3.9	1.7	1.2	6.4	2.9
SLTEC,VTEC <sup>3</sup>	0.0	0.0	0.0	0.2	1.3	0.0	0.1	0.0	0.2
Typhoid	0.0	0.5	0.0	0.1	0.3	0.0	0.2	0.6	0.3
<b>Quarantineable diseases</b>									
Cholera	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<b>Sexually transmissible diseases</b>									
Chlamydia	194.5	139.3	893.4	225.0	174.4	216.3	152.2	214.9	179.3
Donovanosis	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Gonococcal infection	7.4	19.1	893.4	33.5	32.2	13.4	21.0	82.0	37.9
Syphilis (unspecified)	6.2	0.0	114.9	0.0	0.0	0.0	0.0	0.0	1.2
Syphilis < 2 years duration	0.0	2.8	2.0	2.5	2.1	0.0	1.9	1.6	2.2
Syphilis > 2 years or unknown duration	0.0	13.2	34.3	3.5	0.3	0.0	7.1	5.5	7.8
Syphilis - congenital	0.0	0.0	4.0	0.0	0.0	0.0	0.1	0.0	0.1

**Table 3. Notification rates of diseases by state or territory, 1 April to 30 June 2004.  
(Rate per 100,000 population), continued**

Disease <sup>1</sup>	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
<b>Vaccine preventable diseases</b>									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.1	2.0	0.1	0.0	0.0	0.0	0.0	0.1
Influenza (laboratory confirmed)	1.2	6.3	8.1	2.7	3.4	1.7	0.7	0.2	3.2
Measles	0.0	0.1	0.0	0.0	0.3	0.0	0.3	0.2	0.1
Mumps	0.0	0.7	0.0	0.5	0.3	0.0	0.0	0.0	0.4
Pertussis	16.1	34.3	2.0	14.7	15.5	6.7	9.1	30.1	21.2
Pneumococcal disease (invasive)	21.1	13.5	36.3	11.3	13.4	19.3	8.6	8.6	11.9
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.2
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
<b>Vectorborne diseases</b>									
Barmah Forest virus infection	0.0	8.1	16.1	16.5	0.8	0.0	0.2	2.0	6.4
Dengue	2.5	0.4	10.1	5.0	0.0	0.0	0.2	0.2	1.3
Flavivirus infection (NEC)	0.0	0.2	0.0	2.5	0.0	0.0	0.1	0.0	0.6
Japanese encephalitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Malaria	5.0	1.1	16.1	7.9	2.1	6.7	1.5	1.6	3.0
Murray Valley encephalitis	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	3.7	19.4	34.3	91.2	1.8	8.4	1.7	28.3	27.9
<b>Zoonoses</b>									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.1
Leptospirosis	0.0	0.3	2.0	4.8	0.0	0.0	0.0	0.0	1.0
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	0.9	0.0	0.0	0.3	0.0	3.0	0.0	1.1
Q fever	0.0	3.1	2.0	3.6	1.6	0.0	0.9	0.4	2.1
<b>Other bacterial infections</b>									
Legionellosis	1.2	1.6	6.0	0.3	2.6	0.0	2.8	2.3	1.8
Leprosy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infection	1.2	2.8	8.1	2.3	1.3	5.0	2.2	1.8	2.4
Tuberculosis	0.0	3.1	6.0	2.0	4.7	2.5	5.2	3.3	3.5

1. Rates are subject to retrospective revision.
2. Not reported from New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.
3. Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

NN Not Notifiable.

NEC Not Elsewhere Classified.

**Table 4. Virology and serology laboratory reports by state or territory<sup>1</sup> for the reporting period 1 April to 30 June 2004, and total reports for the year<sup>2</sup>**

	State or territory								This period 2004	This period 2003	Year to date 2004 <sup>3</sup>	Year to date 2003
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Measles, mumps, rubella</b>												
Measles virus	0	0	0	1	1	0	3	1	6	26	13	40
Mumps virus	0	0	0	0	1	0	0	0	1	2	3	7
Rubella virus	0	1	0	1	0	0	0	0	2	4	8	12
<b>Hepatitis virus</b>												
Hepatitis A virus	0	0	2	1	0	0	0	6	9	19	19	36
Hepatitis E virus	0	0	0	0	0	0	2	0	2	—	7	—
<b>Arboviruses</b>												
Ross River virus	0	8	3	211	9	0	6	12	249	900	680	1,112
Barmah Forest virus	1	1	1	33	4	0	0	1	41	264	126	341
Dengue not typed	0	0	0	0	0	0	0	1	1	7	1	22
Flavivirus (unspecified)	0	0	2	26	0	0	1	0	29	65	78	104
<b>Adenoviruses</b>												
Adenovirus type 40	0	0	0	0	0	0	0	5	5	9	5	20
Adenovirus not typed/pending	1	60	0	22	71	1	26	16	197	242	367	455
<b>Herpesviruses</b>												
Herpes virus type 6	0	1	0	0	0	0	1	0	2	2	2	3
Cytomegalovirus	1	96	2	18	27	3	9	0	156	240	364	511
Varicella-zoster virus	0	38	5	171	58	0	12	61	345	375	794	794
Epstein-Barr virus	0	20	19	138	137	0	8	100	422	381	1,051	839
<b>Other DNA viruses</b>												
Molluscum contagiosum	0	0	0	0	0	0	0	1	1	2	1	10
Poxvirus group not typed	0	0	0	0	0	0	1	0	1	—	2	1
Parvovirus	0	5	0	6	1	0	7	28	47	56	108	106
<b>Picornavirus</b>												
Coxsackievirus A9	0	1	0	0	0	0	0	0	1	12	1	12
Coxsackievirus A16	1	2	0	0	0	0	0	0	3	2	5	4
Echovirus type 7	0	1	0	0	0	0	0	0	1	1	1	1
Echovirus type 9	0	2	0	0	0	0	0	0	2	5	2	9
Echovirus type 11	0	4	0	0	0	0	0	0	4	1	6	2
Echovirus type 22	0	1	0	0	0	0	0	0	1	—	2	—
Echovirus type 30	0	2	0	0	0	0	0	0	2	1	4	1
Poliovirus type 1 (uncharacterised)	0	4	0	0	0	0	0	0	4	17	6	26
Poliovirus type 2 (uncharacterised)	0	6	0	0	0	0	0	0	6	3	8	4
Poliovirus type 3 (uncharacterised)	0	1	0	0	0	0	0	0	1	1	1	1
Rhinovirus (all types)	1	48	0	0	7	0	3	32	91	127	172	251
Enterovirus not typed/pending	0	20	1	3	1	0	7	12	44	45	86	89
Picornavirus not typed	0	0	0	0	0	1	1	0	2	3	4	5

**Table 4. Virology and serology laboratory reports by state or territory<sup>1</sup> for the reporting period 1 April to 30 June 2004, and total reports for the year,<sup>2</sup> continued**

	State or territory								This period 2004	This period 2003	Year to date 2004 <sup>3</sup>	Year to date 2003
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
<b>Ortho/paramyxoviruses</b>												
Influenza A virus	0	0	0	2	15	0	0	2	19	101	58	204
Influenza B virus	0	2	1	0	13	0	0	2	18	32	30	59
Parainfluenza virus type 1	0	12	0	4	5	0	4	4	29	10	69	26
Parainfluenza virus type 2	0	0	0	2	1	0	0	0	3	30	5	49
Parainfluenza virus type 3	0	4	1	1	37	0	2	36	81	86	169	197
Respiratory syncytial virus	1	553	3	85	66	7	66	78	859	537	1,053	679
<b>Other RNA viruses</b>												
HTLV-1	0	0	1	0	0	0	0	0	1	4	3	8
Rotavirus	0	25	0	0	1	7	16	16	65	84	142	143
Reovirus (unspecified)	0	2	0	0	0	0	0	0	2	—	2	1
Calicivirus	0	0	0	0	0	0	0	26	26	46	26	80
Norovirus	0	0	0	0	0	0	81	0	81	13	164	41
<b>Other</b>												
<i>Chlamydia trachomatis</i> not typed	9	177	2	388	319	6	8	140	1,049	1,087	2,226	2,318
<i>Chlamydia pneumoniae</i>	0	0	0	0	0	0	2	0	2	6	4	10
<i>Chlamydia psittaci</i>	0	0	0	0	2	0	43	0	45	25	104	42
<i>Chlamydia</i> spp typing pending	0	2	0	0	0	0	0	0	2	—	2	—
<i>Chlamydia</i> species	0	1	0	0	0	0	0	1	2	—	2	—
Mycoplasma pneumoniae	0	39	9	129	33	2	47	9	268	232	623	433
<i>Coxiella burnetii</i> (Q fever)	1	0	0	5	16	0	5	1	28	37	76	93
<i>Rickettsia tsutsugamushi</i>	0	0	0	0	0	0	0	1	1	1	1	1
<i>Streptococcus</i> group A	0	1	0	60	0	0	35	0	96	126	221	271
<i>Yersinia enterocolitica</i>	0	1	0	0	0	0	0	0	1	2	2	4
<i>Brucella abortus</i>	0	0	0	0	1	0	0	0	1	1	4	2
<i>Brucella</i> species	0	3	0	0	0	0	0	0	3	—	3	2
<i>Bordetella pertussis</i>	2	21	0	12	17	0	14	22	88	117	244	256
<i>Bordetella parapertussis</i>	0	0	0	0	0	0	1	0	1	—	1	—
<i>Legionella pneumophila</i>	0	5	0	0	2	0	19	0	26	10	46	53
<i>Legionella longbeachae</i>	0	1	0	0	6	0	6	4	17	18	33	28
<i>Legionella</i> species	0	3	0	0	0	0	2	0	6	1	10	4
<i>Cryptococcus</i> species	0	0	0	2	5	0	0	0	7	9	20	12
<i>Leptospira</i> species	0	0	0	3	0	0	0	0	3	5	16	11
<i>Treponema pallidum</i>	1	33	0	109	82	0	0	0	225	302	553	674
<i>Entamoeba histolytica</i>	0	0	0	0	0	0	0	1	1	3	5	6
<i>Toxoplasma gondii</i>	0	0	0	0	0	0	1	0	1	7	15	21
<i>Echinococcus granulosus</i>	0	0	0	0	2	0	0	0	2	6	6	11
<b>Total</b>	19	1,207	52	1,434	940	27	439	619	4,737	5,750	9,865	10,557

1. State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

2. From January 2000 data presented are for reports with report dates in the current period. Previously reports included all data received in that period.

3. Totals comprise data from all laboratories. Cumulative figures are subject to retrospective revision, so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.
- No data received this period.

**Table 5. Virology and serology reports by laboratories for the reporting period  
1 April to 30 June 2004\***

State or territory	Laboratory	April 2004	May 2004	June 2004	Total this period
Australian Capital Territory	The Canberra Hospital	–	–	–	–
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	144	134	135	413
	New Children's Hospital, Westmead	89	93	105	287
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	17	31	28	76
	South West Area Pathology Service, Liverpool	87	132	190	409
Queensland	Queensland Medical Laboratory, West End	455	567	465	1,487
	Townsville General Hospital				
South Australia	Institute of Medical and Veterinary Science, Adelaide	436	502	–	938
Tasmania	Northern Tasmanian Pathology Service, Launceston	10	6	11	27
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	15	27	31	73
	Royal Children's Hospital, Melbourne	62	65	10	137
	Victorian Infectious Diseases Reference Laboratory, Fairfield	79	79	73	231
Western Australia	PathCentre Virology, Perth	–	21	510	531
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	11	57	60	128
<b>Total</b>		<b>1,405</b>	<b>1,714</b>	<b>1,618</b>	<b>4,737</b>

- \* The complete list of laboratories reporting for the 12 months, January to December 2004, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.
- No data received this period.